REMARKS

Claims 1-20, 22-31, and 35-37 are pending in this application. Claim 21 has been canceled to expedite prosecution, and claims 32-34 have been canceled without prejudice as drawn to non-elected subject matter. Applicants expressly reserve the right to pursue non-elected subject matter in a timely filed divisional. Claims 1, 20 and 22 have been amended and claims 35-37 added to define applicant's invention with greater particularity. The amendments and new claims are fully supported by the specification and no new matter has been added. In view of the amendment and following remarks, Applicants respectfully request reconsideration of the claims and submit that the application is in condition for allowance.

I. Claim Rejections Under 35 U.S.C. § 102(b)

The rejection of claims 20-31 under 35 U.S.C. § 102(b) as allegedly being anticipated by Chaloner-Gill (U.S. Patent No. 5,445,856) is respectfully traversed. Claim 20 has been amended to include certain elements of claim 21; the latter claim has been canceled. Claim 22 has been rewritten in independent form to include the elements of claim 20 as originally filed. As amended, claims 20 and 22 and their dependent claims distinguish over Chaloner-Gill by expressly reciting absorbent material completely lacking in the laminates of Chaloner-Gill. Thus, the cited reference does not teach or suggest the use of molecular sieves, magnesium phosphate, activated charcoal, and combinations thereof as a moisture absorbent (claim 20) nor does Chaloner-Gill teach or suggest a hydrofluoric acid absorbent selected from activated charcoal, molecular sieves, clays and combinations thereof. Accordingly, Chaloner-Gill fails to teach each and every element of claims 20 and 22-31. Applicants respectfully request that this ground of rejection be withdrawn.

In addition, new claim 35, depending from claim 20, has been added. Claim 35 further distinguishes over Chaloner-Gill by reciting molecular sieves as the absorbent material present in

the sealant layer. As disclosed in paragraph 35 and Table 1 in the application, molecular sieves provide the advantage of preferentially reacting with water vapor rather than electrolyte solvent. In addition, molecular sieves also readily react with HF acid, a byproduct of electrolyte decomposition. These dual properties make molecular sieves particularly well suited as the absorbent material on the sealant layer in a laminate for use as a battery housing. Because Chaloner-Gill neither teaches nor suggests such a laminate utilizing molecular sieves, it is respectfully submitted that claim 35 is patentable and should be allowed.

II. Claim Rejections Under 35 U.S.C. § 103(a)

The present Office Action maintains the obviousness rejections set forth in the prior Office Action, mailed 2/13/2003. Claims 1-5 and 7-17 were rejected under 35 U.S.C. § 103(a) as allegedly being obvious over Chaloner-Gill (U.S. Patent No. 5,445,856) in view of Kurfman (U.S. Patent No. 4,612,216). Claim 6 was rejected under 35 U.S.C. § 103(a) over Chaloner-Gill in view of Kurfman and further in view of Sasaki (U.S. No. 6,277,516). Claims 18 and 19 were rejected as allegedly obvious over Chaloner-Gill in view of Kurfman and in view of Shores (U.S. No. 5,401,536). Applicants respectfully traverse these rejections.

Applicants' invention as defined by amended claim 1 distinguishes over the combination of Chaloner-Gill and Kurfman by reciting a laminate comprising:

- (a) a sealant layer that is capable of acting as a barrier to an electrolyte, the sealant layer having an internal surface that is substantially inert to the electrolyte and an external surface;
- (b) a barrier layer comprising a first layer of metal foil and a second layer of metal foil adjacent to the first layer, the first and second layers of metal foil being separate and distinct, and the barrier layer having a first surface disposed adjacent to the external surface of the sealant layer and an external surface.

The present amendment clarifies that the barrier layer of the claimed laminate is comprised of a first layer of metal foil and a second layer of metal foil adjacent to the first layer, the first and second layers of metal foil being separate and distinct. The amended claim language emphasizes the discrete nature of the first and second layers of metal foil. As one of ordinary skill in the art will understand, a foil is a "very thin sheet metal." Merriam-Webster's Collegiate Dictionary, Tenth Edition, page 451 (a copy of which is enclosed). Thus, the barrier layer comprises two very thin sheets of metal. The specification clearly supports the separate and distinct nature of the metal foils: paragraph 40 of the application discloses that in one embodiment "the layers of the flexible laminate may 'float' or slide over one another in a non-adhered fashion." In another embodiment, shown as FIG. 1, "[t]he first foil layer 13 is in turn attached with adhesive 14 to a second metal foil layer 15." Application, paragraph 36. New claims 36 and 37 are expressly directed to the latter embodiment. Thus, neither the amended claims nor the new claims encompass a single metal sheet having two layers.

Moreover, the claimed laminates provide superior leak protection over laminates having a barrier layer comprising a single metal sheet. As disclosed in paragraph 28 of the specification, metal foils have pinholes in them that allow solvent to leak from the packaging, thus causing battery failure due to corrosion-induced rupturing at this point. While thicker foil usually reduces the quantity of pinholes, the likelihood of foil cracking increases. Thicker foils are also more difficult to heat seal due to thermal conduction of heat by the thicker metal. As demonstrated by applicants' comparative example, a laminate made from two thin foils with a combined metal thickness of 18 microns had a marked improvement in barrier capability compared to a laminate made from a single 25 micron thick foil. Application, paragraph 56. This example dramatically illustrates that the improvement in performance depends on the use of two separate and distinct foils in which pinholes do not align with one another.

In contrast to the claimed invention, the combination of Chaloner-Gill and Kurfman fail to disclose a laminate having a barrier layer with first and second layers of metal foil that are

separate and distinct. Although the Examiner asserts that Chaloner-Gill teaches a laminate for protecting components of an electrochemical cell, he admits that "Chaloner-Gill fails to teach that the laminate comprises first and second metal layers, where the metal layers are adjacent to each other." Office Action, mailed 2/13/2003, page 6 (relied upon in present Office Action, pages 3-4, items 5-7). Combining Kurfman with Chaloner-Gill cannot cure this deficiency. Kurfman, directed to a laminate designed to prevent formation of crack voids that mar the appearance of metallized plastic films, (col. 1, lines 30-53; col. 4, lines 56-59) discloses a metal/metal/polymer laminate having two metal layers intimately adhered to each other. Kurfman, col. 2, lines 25-28. The metal/metal segregated structure of the laminate is very different from the separate and distinct metal foils required by the claimed invention.

Because of the way it is constructed, the segregated alloy of Kurfman is in fact a single sheet. The metallized film of Kurfman is formed first by depositing a metal or metal alloy on a polymer sheet. Kurfman, col. 2, lines 15-25. A second metal or metal alloy with a melting point slightly lower than that of the first is then deposited on the first metal layer. Id., lines 25-34. The deposition of the layers is performed using metallization techniques such as vacuum deposition, sputter coating, and ion plating. Id., col. 10, lines 29-44. As is well known, each of these deposition techniques results in a single metal sheet regardless of whether the sheet comprises two compositionally different layers. Moreover, upon forming the laminate, heat and pressure cause the polymer to deform, i.e., soften and stretch, and the high melting metal stretches and begins to form micro cracks. The low melting metal, more mobile because it is closer to its melting point, diffuses into these micro crack regions and prevents the formation of a crack void. In fact "most if not all of the metal in the two metal layers is in the melted state." Id., col. 4, line 68 - col. 5, line 2. The resulting layers cannot "float" or slide over one another in a non-adhered fashion," and the use of adhesive between the deposition of the metal layers would defeat the very purpose of Kurfman's invention: preventing crack voids during laminate formation. Thus, the metallized film taught by Kurfman is a single metal sheet that cannot meet the requirement

for a barrier layer comprising two separate and distinct layers of metal foil in the claimed laminates. Consequently, a *prima facie* case of obviousness has not been established for any claim wherein the rejection relies on Kurfman. Applicants respectfully request withdrawal of this ground of rejection.

III. Conclusion

In view of the above remarks and amendments, reconsideration and favorable action on all claims is respectfully requested. In the event that any issues remain to be resolved in view of this communication, the Examiner is invited to contact the undersigned by telephone so that a prompt disposition of this application can be achieved.

Respectfully submitted,

Ву _____

Date: October 21, 2003

FOLEY & LARDNER 150 East Gilman Street P.O. Box 1497 Madison, WI 53701-1497

Telephone:

(608) 258-4272

Facsimile:

(608) 258-4258

Mark A. Kassel Attorney for Applicant Registration No. 38,200



Merrian-

Websters

Collegiate® Dictionary

TENTH EDITION

the factories and property of the first transfer of the first property of the contraction of the contraction

tripines all the Billion Law to the between the parties of ITATOTALIA.


As lights eclared. His pelicipations, goes consisted to its provides. Since each each to consiste a consistent of the consistence of the consisten

communication was in the first order or obail.

40WE0 (0.8)

Merriam-Webster, Incorporated Springfield, Massachusetts, U.S.A.









A GENUINE MERRIAM-WEBSTER

The name Webster alone is no guarantee of excellence. It is used by a number of publishers and may serve mainly to mislead an unwary buyer.

Merriam-Webster™ is the name you should look for when you consider the purchase of dictionaries or other fine reference books. It carries the reputation of a company that has been publishing since 1831 and is your assurance of quality and authority.

Copyright @ 1997 by Merriam-Webster, Incorporated The second secon

Philippines Copyright 1997 by Merriam-Webster, Incorporated

Library of Congress Cataloging in Publication Data Main entry under title:

Merriam-Webster's collegiate dictionary. — 10th ed.

p. cm.

Includes index.

ISBN 0-87779-708-0 (unindexed : alk. paper). — ISBN 0-87779-709-9 (indexed : alk. paper). — ISBN 0-87779-710-2 (deluxe : alk. paper). — ISBN 0-87779-707-2 (laminated cover).

1. English language—Dictionaries. I. Merriam-Webster, Inc.

PE1628.M36 1997

96-42529

CIP

Merriam-Webster's Collegiate® Dictionary, Tenth Edition principal copyright 1993

COLLEGIATE is a registered trademark of Merriam-Webster, Incorporated

All rights reserved. No part of this book covered by the copyrights hereon may be reproduced or copied in any form or by any means-graphic, electronic, or mechanical, including photocopying, taping, or information storage and retrieval systems—without written permission of the publisher.

Made in the United States of America

Address and Josephia

Viewall for Marin Control

181920RMcN97

ने हैं। चेत्र के क्लाही च The

then its bish die is hijd

यह हुए भी स्थापन है। है **के** कर्म कि ने सम्बंध करें Abbreviations .

et jant kanner i stj. de krij Historijk i storien stj. ja

time support was also

State His Comme

Start of gradient

1.000

orten dan jesti

The Control of the Co

mariante de la companya de la compan

The first of the second of the

War bay bee

8657 A. G. S. C. C. They want Mark Stage Service

Yakaraya i

Shanday Lee A

Subject to the second

-1787 ya j

Mary Same

blew; -blown [4fly + 1blow] (1603)...1. deposit eggs or young larvae of a flesh h

LYSTRIKE.

adj (ca. 1529) 1 a: not. pure: TAINTED
ses of irresponsible power —V L. Parrington
v: SEEDY: MOTH-BATEN c: TRITE: HACKINETID
phors —Horizon 2 a: infested with Egs
h fly or blowfly b: covered with flyspecks
odil. of D vlieboot, fr. Vile, channel between Naboot boal (1577): any of various fast boats
(1946): a member of the air force; broadly

n (1965); an open deck on a cabin cruiser local the cabin roof and usu. having a duplicate set

the caoin root and usu. Inaring a unprical set it.

Iybys (1953), 1: a prearranged usu. low altitude a large and the same and the same and the same and the spacecraft past a celestial body. (as Mars) spacecraft past a celestial body. (as Mars) spacecraft that makes a flyby single (1822) 1: one that seeks to evade a p. creditors by flight 2: one without establishing; esp: a shaky business enterprise.

1914) 1: given to making a quick profit usu le acts 2: TRANSTORY PASSING (~ fashions) le acts 2: TRANSTORY PASSING (~ fashions) le acts 2: TRANSTORY PASSING (~ fashions) which controls are operated electrols tem in which controls are operated electrols.

ealty 89): the casting of artificial flies in fly fishing or

-chor, -ke-\ n (1678): any of various passen cicapidae and Tyrannidae) that feed on inse

in insect repellent -

886) : an angler who uses the technique of h

shin (1653): a method of fishing in which a by use of a fly rod, a reel, and a relatively her

by use of a fly rod, a reel, and a relatively bening a concealed closing on the front of a coat stat.

— fly-front vfli-front vad;

a narrow raised platform at the side of a theatering scenery lines are operated.

(bef. 12c). 1 a: moving or capable of moving a or made by moving rapidly — feet) (a leap); tended for ready movement or action (a sognification of aircraft (a solitestock brand math the operation of aircraft (a solitestock brand sand in speed-record trials) after a running start (a flying colors: with complete or eminent success. flying colors: with complete or eminent success: travel by air. 2: the operation of an aircraft

a seaplane with a hull designed for floating (4) chiefly Brit: BUZZ BOMB
(1.1909) 1: the highest navigational bridge on

*(1669) :: a masonry structure

ists of a straight inclined bar leand a solid pier or buttress juts and that receives the thrust

i'n 1: a legendary Dutch d to sail the seas until Judg; pectral ship that according to seas near the Cape of Good

511): any of numerous fishese) chiefly of tropical and warm le of long gliding flights out of g their large pectoral fins like

FRUIT BAT

(1884): any of several marine actylopteridae) that resemble e large pectoral, fins' allowing the water for short distances 1: a sail outside the jib on an boom—see SAIL illustration 183): either of two East Indian or Philippine and 183): either of two East Indian or Philippine and 1831: either o

183): either of two East Indian or Philippine abounds; (Cynocephalus volans and C. variegatus) that of a cat, that make long gliding leaps, using a brown in a separate order (Demoptera).

1736): an apparatus for navigating the air (1734): an apparatus for navigating the air (1734): a wrestling imaneuver in which the aggress's wrist, turris about, and jerks him over his back (1913): a commissioned officer in the British air for irst lieutenant in the army (1737): any of various unidentified flying objects is saucer-shaped or disk-shaped (1737): any of various unidentified flying objects in aguer shaped or disk-shaped (1737): any of various unidentified flying objects in the British air for irst lieutenant in the army (1738) and the surface is translated into electrical signals for television or computers).

À

1624): either of two small nocturnal No. America tys wolans and G. sabrinus) with folds of skin conted d hind legs that enable it to make long gliding leap us squirrels that possess a patagium firing start n (1851) 1: a start in racing in which the participants firing start n moving when they cross the starting line or receive the are already moving when they cross the starting line or receive the are already signal. 2: a favorable start of something signal. 2: a favorable start of something the moving formation (as of guards or police)

smurpulses in (1909): a moving formation (as of guards or police) firing wedge in (1909): a moving formation (as of guards or police) firemating wedge in the small property of a book paper of a book firman / mon, -man, in (1883):: a worker in the flies of a theater who firman pulses curtains and scenery manipulses curtains and scenery for net in (bet 120): a net to exclude or keep off insects (as from a har-ses horse).

man \(\text{man} \) \(

the focal legist to the aperture in an optical system 2: a number, following the symbol 1/ that expresses the effectiveness of the aperture of a cameral lens in relation to brightness of image so that the smaller the number, the brighter the image and therefore the shorter the expo-

onlowing us symbol related to present the relativeness of the aperture of a cameral lens in relation to brightness of image so that the smaller the number, the brighter the image and therefore the shorter the exposure redured?

foal Viol' \(\tilde{N} \) [ME] fole, fit: OE folia, akin to L pullus young of an animal oft pais child — more at Few] (bef. 12c): a young animal of the horse finally, esp; one under one year — in foal: PREGNANT 3

foal \(\tilde{V} \) (i): to give birth to a foal

foam \(\tilde{V} \) (iii): to give birth to a foal

foam \(\tilde{V} \) (iii): to give birth to a foal

foam \(\tilde{V} \) (iii): for \(\tilde{V} \) (iiii): for \(\tilde{V} \) (iii): for \(\tilde

GEAT which akin to G dial. Fuppe pocket (1653) 1: WATCH POCKET 2 is short strap, ribbon, or chain attached esp. to a pocket watch 3 is nonament attached to a fob chain (bb off w (1597) 1: to put off with a trick, excuse, or inferior substitute 2: to pass or offer (something spurious) as genuine 3: to put said (now fob off what once they would have welcomed eagerly — Walter Lippmann).

water Lipmann)

locaccia (lockach(e-)a) n [It; fr. LL focacia (neut. pl.), fr. L focus
bearth (1969): a flat Italian bread typically seasoned with herbs and
office all seasons.

olive oil. (16-24) adj (1693): of, relating to, being, or having a focus—focally (ks-le) adj (1693): a persistent bacterial infection of some organ or region; esp: one causing symptoms elsewhere in the body focallize \ 16-ks-liz\ w - ized; - izeing w (1845): 1: to bring to a focus: - CONCENTRATE 2-LOCALIZE: ~ wi. 1: to come to a focus: - CONCENTRATE 2-LOCALIZE: ~ wi. 1: to come to a focus: - CONCENTRATE 2-LOCALIZE: ~ wi. 1: to come to a focus: - CONCENTRATE 2-LOCALIZE: ~ wi. 1: to come to a focus: - CONCENTRATE 2-LOCALIZE: ~ or all ength in (1753): the distance of a focus from the surface of a lens or mirror and passes through the focus.

focal point n (1713): FOCUS la, 5a focal ratio n (1926): F. NUMBER fo'-c'sle war of FORECASTLE fo-cus \fo-kas\ n. pl fo-ci \fo-

principle (a injurious foehn or föhn \factor), föen, fan\n [G Föhn] (1861) : a warm dry wind blowing down the side of a mountain foe-man \factor) foe man \factor) foe 2 - foe-tal, foe-tus chiefly Brit var of FETAL FETUS föhn \fo(r)n; foen, fan\ n [G Föhn] (1861) : a warm dry

foe-man Normalise (1998) for var of PETO.

foe-tid var of FETID foeto- or foeti- chiefly Brit var of FETO.

fog-\tide{\text{top}} (ag\times n [protection of Seand origin; akin to Dan fog spray, shower] - (1544) = 1 \times a; vapor condensed to fine particles of water suspended in the lower atmosphere that differs from cloud only in being near, the ground \(\text{b}: \) a fine spray or a foam for fire fighting \(2 \); a murky condition of the atmosphere or a substance causing it \(3 \) a; a state of confusion or bewilderment \(\text{b}: \text{something that confuses or obscures (hid behind \(a \simeq 0 \) of rhetoric) \(4 : \) cloudiness or partial opacity in a developed photographic image caused by chemical action or stray radiation fooless \\ \langle \(\text{las} \) \(\text{d} \) \(\text{fooless} \\ \langle \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \\ \langle \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \\ \langle \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{fooless} \) \(\text{las} \) \(\text{d} \) \(\text{d} \) \(\text{fooless} \) \(\text{fooless}

behind a ~ of rhetoric) 4: cloudiness or partial opacity in a developed photographic image caused by chemical action or stray radiation—fog-less \-les\ adj.

*fog yb fogged; fog-ging w (1599) 1: to cover, envelop, or suffuse with or as if with fog (~ the barns with pesticide) 2: to make obscure or confusing (accusations which fogged the real issues) 3: to make confused 4: to produce fog on (as a photographic film) during development ~ w i 1: to become covered or thick with fog 2: a: to become blurred by a covering of fog or mist b: to become indistinct through exposure to light or radiation

fog-bound \fog-baund, fag-\ adj (ca. 1855) 1: unable to move because of fog (~ ship) 2: covered with or surrounded by fog (~ cogst)

fog-bow \-,bō\ n (1831): a nebulous arc or circle of white or yellowish

\a\ abut \a\ kitten, F table \ar\ further \a\ ash \a\ ace \a\ mop, mar \au\ out \ch\ chin \e\ bet \e\ e\ sy \g\ go \i\ hit, \i\ ice \i\ job \n\ sing \o\ go \o\ h\ thin \th\ the \ii\ loot \u\ y\ yet \zh\ vision \aik \g, ", ce, ce, ue, ue, \textsty \see Guide to Pronunciation